



CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
0	0+000	451968.220	4537371.582
1	0+008,71	451976.861	4537372.680
2	0+012,62	451981.146	4537371.930
3	0+019,73	451987.184	4537369.190
4	0+025,99	451992.818	4537366.460
5	0+030,25	451994.295	4537370.450
6	0+034,25	451995.713	4537374.190
7	0+038,25	451997.737	4537377.640
8	0+042,25	451999.933	4537380.990
9	0+048,90	452004.829	4537385.480
10	0+053,90	452008.677	4537388.680
11	0+060,27	452013.766	4537392.500
12	0+066,27	452019.181	4537395.090
13	0+072,27	452024.995	4537396.570
14	0+078,27	452030.987	4537396.880
15	0+084,27	452036.987	4537396.890
16	0+090,27	452042.872	4537395.720

CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
17	0+096,27	452048.415	4537393.420
18	0+102,56	452054.094	537390.710
19	0+236,51	452118.651	4537508.080
20	0+247,60	452124.753	4537517.320
21	0+294,97	452153.959	4537554.620
22	0+305,32	452160.926	4537562.260
23	0+384,62	452218.626	4537616.660
24	0+395,74	452226.067	4537624.910
25	0+405,50	452231.993	4537632.650
26	0+432,37	452252.028	4537650.310
27	0+662,42	452450.903	4537765.940
28	0+674,06	452461.413	4537770.920
29	0+703,24	452488.747	4537781.120
30	0+923,13	452495.081	4537783.850
31	0+821,25	452595.056	4537833.100
32	0+923,50	452685.214	4537880.630
33	1+024,92	452773.012	4537931.390

CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
34	1+030,82	452777.992	4537934.56
35	1+078,24	452816.856	4537961.760
36	1+179,76	452897.975	4538022.760
37	1+228,58	452943.786	4538036.410
38	1+289,62	453004.697	4538032.410
39	1+337,42	453052.487	4538031.550
40	1+346,32	453061.365	4538031.960
41	1+408,59	453122.337	4538042.850
42	1+451,32	453160.733	4538062.377
43	1+442,41	453152.705	4538057.740
44	1+451,69	453160.733	4538062.380
45	1+546,92	453239.803	4538115.440
46	1+648,12	453320.364	4538176.710
47	1+829,87	453461.426	4538291.310
48	1+843,72	453475.249	4538292.180
49	1+896,96	453521.989	4538314.770
50	1+942,94	453552.757	4538348.940

LEYENDA:
PI = CAMBIO DE ALINEACIÓN
PC = INICIO CURVA
PT = FINAL CURVA







CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
0	0+000	451968.220	4537371.582
1	0+008,71	451976.861	4537372.680
2	0+012,62	451981.146	4537371.930
3	0+019,73	451987.184	4537369.190
4	0+025,99	451992.818	4537366.460
5	0+030,25	451994.295	4537370.450
6	0+034,25	451995.713	4537374.190
7	0+038,25	451997.737	4537377.640
8	0+042,25	451999.933	4537380.990
9	0+048,90	452004.829	4537385.480
10	0+053,90	452008.677	4537388.680
11	0+060,27	452013.766	4537392.500
12	0+066,27	452019.181	4537395.090
13	0+072,27	452024.995	4537396.570
14	0+078,27	452030.987	4537396.880
15	0+084,27	452036.987	4537396.890
16	0+090,27	452042.872	4537395.720

CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
17	0+096,27	452048.415	4537393.420
18	0+102,56	452054.094	537390.710
19	0+236,51	452118.651	4537508.080
20	0+247,60	452124.753	4537517.320
21	0+294,97	452153.959	4537554.620
22	0+305,32	452160.926	4537562.260
23	0+384,62	452218.626	4537616.660
24	0+395,74	452226.067	4537624.910
25	0+405,50	452231.993	4537632.650
26	0+432,37	452252.028	4537650.310
27	0+662,42	452450.903	4537765.940
28	0+674,06	452461.413	4537770.920
29	0+703,24	452488.747	4537781.120
30	0+923,13	452495.081	4537783.850
31	0+821,25	452595.056	4537833.100
32	0+923,50	452685.214	4537880.630
33	1+024,92	452773.012	4537931.390

CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
34	1+030,82	452777.992	4537934.56
35	1+078,24	452816.856	4537961.760
36	1+179,76	452897.975	4538022.760
37	1+228,58	452943.786	4538036.410
38	1+289,62	453004.697	4538032.410
39	1+337,42	453052.487	4538031.550
40	1+346,32	453061.365	4538031.960
41	1+408,59	453122.337	4538042.850
42	1+451,32	453160.733	4538062.377
43	1+442,41	453152.705	4538057.740
44	1+451,69	453160.733	4538062.380
45	1+546,92	453239.803	4538115.440
46	1+648,12	453320.364	4538176.710
47	1+829,87	453461.426	4538291.310
48	1+843,72	453475.249	4538292.180
49	1+896,96	453521.989	4538314.770
50	1+942,94	453552.757	4538348.940

LEYENDA:
PI = CAMBIO DE ALINEACIÓN
PC = INICIO CURVA
PT = FINAL CURVA







CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
0	0+000	451968.220	4537371.582
1	0+008,71	451976.861	4537372.680
2	0+012,62	451981.146	4537371.930
3	0+019,73	451987.184	4537369.190
4	0+025,99	451992.818	4537366.460
5	0+030,25	451994.295	4537370.450
6	0+034,25	451995.713	4537374.190
7	0+038,25	451997.737	4537377.640
8	0+042,25	451999.933	4537380.990
9	0+048,90	452004.829	4537385.480
10	0+053,90	452008.677	4537388.680
11	0+060,27	452013.766	4537392.500
12	0+066,27	452019.181	4537395.090
13	0+072,27	452024.995	4537396.570
14	0+078,27	452030.987	4537396.880
15	0+084,27	452036.987	4537396.890
16	0+090,27	452042.872	4537395.720

CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
17	0+096,27	452048.415	4537393.420
18	0+102,56	452054.094	537390.710
19	0+236,51	452118.651	4537508.080
20	0+247,60	452124.753	4537517.320
21	0+294,97	452153.959	4537554.620
22	0+305,32	452160.926	4537562.260
23	0+384,62	452218.626	4537616.660
24	0+395,74	452226.067	4537624.910
25	0+405,50	452231.993	4537632.650
26	0+432,37	452252.028	4537650.310
27	0+662,42	452450.903	4537765.940
28	0+674,06	452461.413	4537770.920
29	0+703,24	452488.747	4537781.120
30	0+923,13	452495.081	4537783.850
31	0+821,25	452595.056	4537833.100
32	0+923,50	452685.214	4537880.630
33	1+024,92	452773.012	4537931.390

CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
34	1+030,82	452777.992	4537934.56
35	1+078,24	452816.856	4537961.760
36	1+179,76	452897.975	4538022.760
37	1+228,58	452943.786	4538036.410
38	1+289,62	453004.697	4538032.410
39	1+337,42	453052.487	4538031.550
40	1+346,32	453061.365	4538031.960
41	1+408,59	453122.337	4538042.850
42	1+451,32	453160.733	4538062.377
43	1+442,41	453152.705	4538057.740
44	1+451,69	453160.733	4538062.380
45	1+546,92	453239.803	4538115.440
46	1+648,12	453320.364	4538176.710
47	1+829,87	453461.426	4538291.310
48	1+843,72	453475.249	4538292.180
49	1+896,96	453521.989	4538314.770
50	1+942,94	453552.757	4538348.940

LEYENDA:
PI = CAMBIO DE ALINEACIÓN
PC = INICIO CURVA
PT = FINAL CURVA







CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
0	0+000	451968.220	4537371.582
1	0+008,71	451976.861	4537372.680
2	0+012,62	451981.146	4537371.930
3	0+019,73	451987.184	4537369.190
4	0+025,99	451992.818	4537366.460
5	0+030,25	451994.295	4537370.450
6	0+034,25	451995.713	4537374.190
7	0+038,25	451997.737	4537377.640
8	0+042,25	451999.933	4537380.990
9	0+048,90	452004.829	4537385.480
10	0+053,90	452008.677	4537388.680
11	0+060,27	452013.766	4537392.500
12	0+066,27	452019.181	4537395.090
13	0+072,27	452024.995	4537396.570
14	0+078,27	452030.987	4537396.880
15	0+084,27	452036.987	4537396.890
16	0+090,27	452042.872	4537395.720

CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
17	0+096,27	452048.415	4537393.420
18	0+102,56	452054.094	537390.710
19	0+236,51	452118.651	4537508.080
20	0+247,60	452124.753	4537517.320
21	0+294,97	452153.959	4537554.620
22	0+305,32	452160.926	4537562.260
23	0+384,62	452218.626	4537616.660
24	0+395,74	452226.067	4537624.910
25	0+405,50	452231.993	4537632.650
26	0+432,37	452252.028	4537650.310
27	0+662,42	452450.903	4537765.940
28	0+674,06	452461.413	4537770.920
29	0+703,24	452488.747	4537781.120
30	0+923,13	452495.081	4537783.850
31	0+821,25	452595.056	4537833.100
32	0+923,50	452685.214	4537880.630
33	1+024,92	452773.012	4537931.390

CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
34	1+030,82	452777.992	4537934.56
35	1+078,24	452816.856	4537961.760
36	1+179,76	452897.975	4538022.760
37	1+228,58	452943.786	4538036.410
38	1+289,62	453004.697	4538032.410
39	1+337,42	453052.487	4538031.550
40	1+346,32	453061.365	4538031.960
41	1+408,59	453122.337	4538042.850
42	1+451,32	453160.733	4538062.377
43	1+442,41	453152.705	4538057.740
44	1+451,69	453160.733	4538062.380
45	1+546,92	453239.803	4538115.440
46	1+648,12	453320.364	4538176.710
47	1+829,87	453461.426	4538291.310
48	1+843,72	453475.249	4538292.180
49	1+896,96	453521.989	4538314.770
50	1+942,94	453552.757	4538348.940

LEYENDA:
PI = CAMBIO DE ALINEACIÓN
PC = INICIO CURVA
PT = FINAL CURVA





CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
0	0+000	451968.220	4537371.582
1	0+008,71	451976.861	4537372.680
2	0+012,62	451981.146	4537371.930
3	0+019,73	451987.184	4537369.190
4	0+025,99	451992.818	4537366.460
5	0+030,25	451994.295	4537370.450
6	0+034,25	451995.713	4537374.190
7	0+038,25	451997.737	4537377.640
8	0+042,25	451999.933	4537380.990
9	0+048,90	452004.829	4537385.480
10	0+053,90	452008.677	4537388.680
11	0+060,27	452013.766	4537392.500
12	0+066,27	452019.181	4537395.090
13	0+072,27	452024.995	4537396.570
14	0+078,27	452030.987	4537396.880
15	0+084,27	452036.987	4537396.890
16	0+090,27	452042.872	4537395.720

CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
17	0+096,27	452048.415	4537393.420
18	0+102,56	452054.094	537390.710
19	0+236,51	452118.651	4537508.080
20	0+247,60	452124.753	4537517.320
21	0+294,97	452153.959	4537554.620
22	0+305,32	452160.926	4537562.260
23	0+384,62	452218.626	4537616.660
24	0+395,74	452226.067	4537624.910
25	0+405,50	452231.993	4537632.650
26	0+432,37	452252.028	4537650.310
27	0+662,42	452450.903	4537765.940
28	0+674,06	452461.413	4537770.920
29	0+703,24	452488.747	4537781.120
30	0+923,13	452495.081	4537783.850
31	0+821,25	452595.056	4537833.100
32	0+923,50	452685.214	4537880.630
33	1+024,92	452773.012	4537931.390

CONDUCCIÓN			
Nº PUNTO	P.K.	X	Y
34	1+030,82	452777.992	4537934.56
35	1+078,24	452816.856	4537961.760
36	1+179,76	452897.975	4538022.760
37	1+228,58	452943.786	4538036.410
38	1+289,62	453004.697	4538032.410
39	1+337,42	453052.487	4538031.550
40	1+346,32	453061.365	4538031.960
41	1+408,59	453122.337	4538042.850
42	1+451,32	453160.733	4538062.377
43	1+442,41	453152.705	4538057.740
44	1+451,69	453160.733	4538062.380
45	1+546,92	453239.803	4538115.440
46	1+648,12	453320.364	4538176.710
47	1+829,87	453461.426	4538291.310
48	1+843,72	453475.249	4538292.180
49	1+896,96	453521.989	4538314.770
50	1+942,94	453552.757	4538348.940

LEYENDA:
PI = CAMBIO DE ALINEACIÓN
PC = INICIO CURVA
PT = FINAL CURVA

